




# ENERGY

HPA-O 05.2 Plus HC 230

**STIEBEL ELTRON**



55 °C

35 °C

A+++

A+++

A+++

A++

A+

A

B

C

D



**43** dB

■ kW



■ kW



2019

811/2013

Product datasheet: Space heater to Regulation (EU) No 811/2013 (S.I. 2019 No. 539 / Programme 2)


|                                                                                                         |       |                        |
|---------------------------------------------------------------------------------------------------------|-------|------------------------|
|                                                                                                         |       | HPA-O 05.2 Plus HC 230 |
|                                                                                                         |       | 207429                 |
| Manufacturer                                                                                            |       | STIEBEL ELTRON         |
| Space heating energy efficiency class under average climate conditions, medium-temperature applications |       | A+++                   |
| Energy efficiency class, space heating under average climate conditions, low-temperature applications   |       | A+++                   |
| Option for operation only at off-peak times                                                             |       | -                      |
| Sound power level, outdoor                                                                              | dB(A) | 43                     |



# ENERGY

HPA-O 05.2 Plus HC 230

**STIEBEL ELTRON**



**A<sup>+++</sup>**

**A<sup>+++</sup>**

**A<sup>++</sup>**

**A<sup>+</sup>**

**A**

**B**

**C**

**D**


**E**

**F**

**G**

**A<sup>+++</sup>**

+



+



+



+



Product datasheet: Space heater to Regulation (EU) No 811/2013 (S.I. 2019 No. 539 / Programme 2)

|                                                                                                       |   |                        |
|-------------------------------------------------------------------------------------------------------|---|------------------------|
|                                                                                                       |   | HPA-O 05.2 Plus HC 230 |
|                                                                                                       |   | 207429                 |
| Manufacturer                                                                                          |   | STIEBEL ELTRON         |
| Temperature control class                                                                             |   | IV                     |
| Contribution of temperature control to space heating energy efficiency                                | % | 4                      |
| Energy efficiency class, space heating under average climate conditions, low-temperature applications |   | A+++                   |
| Space heating energy efficiency class of package under average climate conditions                     |   | A+++                   |

Product datasheet: Space heater to Regulation (EU) No 811/2013 (S.I. 2019 No. 539 / Programme 2)

|                                         |       | HPA-O 05.2 Plus HC 230 |
|-----------------------------------------|-------|------------------------|
|                                         |       | 207429                 |
| Manufacturer                            |       | STIEBEL ELTRON         |
| Heat source                             |       | Luft                   |
| Low temperature heat pump               |       | -                      |
| With auxiliary heater                   |       | -                      |
| Combination heater with heat pump       |       | -                      |
| Type of energy supply, auxiliary heater |       | elektrisch             |
| Output control                          |       | veränderlich           |
| Sound power level, outdoor              | dB(A) | 43                     |
| Flow rate on heat source side           | m³/h  | 2740                   |