



**ENERG**  
енергия · ενεργεια



WPL 15 A2W Premium

**STIEBEL ELTRON**



55 °C

35 °C



**A<sup>++</sup>**

**A<sup>++</sup>**



**50 dB**

■ 12

■ 8

■ 4

kW

■ 11

■ 8

■ 4

kW



2019

811/2013

Податоци за производот:

|              |       | WPL 15 A2W Premium |
|--------------|-------|--------------------|
|              |       | 203252             |
| Manufacturer |       | STIEBEL ELTRON     |
|              |       | A++                |
|              |       | A++                |
|              | kW    | 8                  |
|              | kW    | 8                  |
|              | %     | 127                |
|              | %     | 159                |
|              | kWh/a | 5084               |
|              | kWh/a | 4086               |
|              | kW    | 12                 |
|              | kW    | 11                 |
|              | kW    | 4                  |
|              | kW    | 4                  |
|              | %     | 119                |
|              | %     | 140                |
|              | %     | 142                |
|              | %     | 190                |
|              | kWh/a | 9351               |
|              | kWh/a | 7597               |
|              | kWh/a | 1489               |
|              | kWh/a | 1106               |
|              | dB(A) | 50                 |



ENERG  
енергия · ενεργεια



WPL 15 A2W Premium

**STIEBEL ELTRON**



A<sup>++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Податоци за производот:

|              |   | WPL 15 A2W Premium |
|--------------|---|--------------------|
|              |   | 203252             |
| Manufacturer |   | STIEBEL ELTRON     |
|              | % | 159                |
|              |   | VI                 |
|              | % | 4                  |
|              | % | 131                |
|              | % | 123                |
|              | % | 146                |
|              | % | 8                  |
|              | % | 15                 |
|              |   | A++                |
|              |   | A++                |

Податоци за производот:

|              |    | WPL 15 A2W Premium |
|--------------|----|--------------------|
|              |    | 203252             |
| Manufacturer |    | STIEBEL ELTRON     |
|              |    | Außenluft          |
|              |    | x                  |
|              |    | -                  |
|              | kW | 12                 |
|              | kW | 8                  |
|              | kW | 4                  |
|              | kW | 7,0                |
|              | kW | 7,1                |
|              | kW | 4,2                |
|              | kW | 4,2                |
|              | kW | 4,0                |
|              | kW | 4,3                |
|              | kW | 4,2                |
|              | kW | 3,9                |
|              | kW | 4,1                |
|              | kW | 4,0                |
|              | kW | 3,8                |
|              | kW | 7,9                |
|              | kW | 7,4                |
|              | kW | 4,0                |
|              | kW | 11,4               |
|              | kW | 7,0                |
|              | kW | 4,0                |
|              | kW | 7,0                |
|              | °C | -10                |
|              | °C | -8                 |
|              | °C | 2                  |
|              | %  | 119                |
|              | %  | 127                |
|              | %  | 142                |
|              |    | 2,45               |
|              |    | 2,18               |
|              |    | 3,70               |
|              |    | 3,30               |
|              |    | 2,50               |
|              |    | 4,53               |
|              |    | 4,07               |
|              |    | 3,16               |
|              |    | 5,44               |
|              |    | 514,00             |
|              |    | 4,57               |
|              |    | 2,28               |
|              |    | 2,13               |
|              |    | 2,50               |
|              |    | 1,97               |
|              |    | 1,97               |
|              |    | 2,50               |
|              |    | 1,97               |
|              | °C | -20                |
|              | °C | -10                |
|              | °C | 2                  |
|              | °C | 65                 |
|              | °C | 65                 |
|              | °C | 65                 |
|              | W  | 16                 |

|  |       |              |
|--|-------|--------------|
|  | W     | 16           |
|  | W     | 16           |
|  | W     | 43           |
|  | kW    | 2,3          |
|  | kW    | 1,0          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 50           |
|  | kWh/a | 9351         |
|  | kWh/a | 5084         |
|  | kWh/a | 1489         |
|  | m³/h  | 2300         |