



ENERG Y IJA
енергия · ενεργεια IE IA

STIEBEL ELTRON

VRC-W 450 E Trend



50
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Податоци за производот:

		VRC-W 450 E Trend
		205079
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-78,53
	kWh/(m²a)	-41,68
	kWh/(m²a)	-17,87
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	76,8
	m³/h	450
	W	116
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,65
	%	1,10
	%	0,78
	kWh/a	667
	kWh/a	130
	kWh/a	85
	kWh/a	8647
	kWh/a	4420
	kWh/a	1999



ENERG Y IJA
енергия · ενεργεια IE IA

STIEBEL ELTRON

VRC-W 450 E Trend



50
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Податоци за производот:


		VRC-W 450 E Trend
		205079
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-74,14
	kWh/(m²a)	-38,65
	kWh/(m²a)	-15,70
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	76,8
	m³/h	450
	W	116
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,85
	%	1,10
	%	0,78
	kWh/a	727
	kWh/a	190
	kWh/a	145
	kWh/a	8358
	kWh/a	4272
	kWh/a	1932



ENERG Y IJA
енергия · ενεργεια IE IA

STIEBEL ELTRON

VRC-W 450 E Trend



50
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Податоци за производот:


		VRC-W 450 E Trend
		205079
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-71,91
	kWh/(m²a)	-37,01
	kWh/(m²a)	-14,46
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	76,8
	m³/h	450
	W	116
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,95
	%	1,10
	%	0,78
	kWh/a	763
	kWh/a	226
	kWh/a	181
	kWh/a	8213
	kWh/a	4198
	kWh/a	1898



ENERG Y IJA
енергия · ενεργεια IE IA

STIEBEL ELTRON

VRC-W 450 E Trend



50
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Податоци за производот:

		VRC-W 450 E Trend
		205079
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-70,58
	kWh/(m²a)	-36,15
	kWh/(m²a)	-13,81
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	76,8
	m³/h	450
	W	116
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		1,00
	%	1,10
	%	0,78
	kWh/a	782
	kWh/a	245
	kWh/a	200
	kWh/a	8141
	kWh/a	4161
	kWh/a	1882