



**ENERG**  
енергия · ενεργεια



HPG-I 06 CS Premium

**STIEBEL ELTRON**



55 °C

35 °C



**A+++**

**A+++**



**41** dB



**0** dB

■ 6

■ 6

■ 6

kW

■ 7

■ 7

■ 7

kW



2019

811/2013

Технические характеристики изделия:

|              |       | HPG-I 06 CS Premium |
|--------------|-------|---------------------|
|              |       | 202628              |
| Manufacturer |       | STIEBEL ELTRON      |
|              |       | A+++                |
|              |       | A+++                |
|              | kW    | 6                   |
|              | kW    | 7                   |
|              | %     | 159                 |
|              | %     | 200                 |
|              | kWh/a | 2988                |
|              | kWh/a | 2662                |
|              | dB(A) | 41                  |
|              |       | -                   |
|              | kW    | 6                   |
|              | kW    | 7                   |
|              | kW    | 6                   |
|              | kW    | 7                   |
|              | %     | 166                 |
|              | %     | 207                 |
|              | %     | 158                 |
|              | %     | 198                 |
|              | kWh/a | 3439                |
|              | kWh/a | 3069                |
|              | kWh/a | 1954                |
|              | kWh/a | 1741                |
|              | dB(A) | 0                   |



# ENERG

енергия · ενεργεια



HPG-I 06 CS Premium

## STIEBEL ELTRON



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Технические характеристики изделия:

|              |   | HPG-I 06 CS Premium |
|--------------|---|---------------------|
|              |   | 202628              |
| Manufacturer |   | STIEBEL ELTRON      |
|              | % | 200                 |
|              |   | VII                 |
|              | % | 4                   |
|              | % | 163                 |
|              | % | 169                 |
|              | % | 161                 |
|              | % | 6                   |
|              | % | 2                   |
|              |   | A+++                |
|              |   | A+++                |

Технические характеристики изделия:

|              |    | HPG-I 06 CS Premium |
|--------------|----|---------------------|
|              |    | 202628              |
| Manufacturer |    | STIEBEL ELTRON      |
|              |    | Sole                |
|              |    | -                   |
|              |    | x                   |
|              |    | -                   |
|              | kW | 6                   |
|              | kW | 6                   |
|              | kW | 6                   |
|              | kW | 3,7                 |
|              | kW | 5,3                 |
|              | kW | 2,2                 |
|              | kW | 3,3                 |
|              | kW | 6,1                 |
|              | kW | 1,4                 |
|              | kW | 2,1                 |
|              | kW | 3,9                 |
|              | kW | 1,1                 |
|              | kW | 1,1                 |
|              | kW | 1,7                 |
|              | kW | 6,1                 |
|              | kW | 6,1                 |
|              | kW | 6,1                 |
|              | kW | 6,1                 |
|              | kW | 6,1                 |
|              | kW | 6,1                 |
|              | °C | -22                 |
|              | °C | -10                 |
|              | °C | 2                   |
|              | %  | 166                 |
|              | %  | 159                 |
|              | %  | 158                 |
|              |    | 4,15                |
|              |    | 3,55                |
|              |    | 4,68                |
|              |    | 4,27                |
|              |    | 3,34                |
|              |    | 4,80                |
|              |    | 4,76                |
|              |    | 3,97                |
|              |    | 4,73                |
|              |    | 4,61                |
|              |    | 4,81                |
|              |    | 3,34                |
|              |    | 3,34                |
|              |    | 3,34                |
|              |    | 3,34                |
|              |    | 3,34                |
|              | °C | -10                 |
|              | °C | 2                   |
|              | °C | 75                  |
|              | °C | 75                  |
|              | W  | 16                  |
|              | W  | 16                  |
|              | W  | 16                  |
|              | W  | 0                   |

|  |       |              |
|--|-------|--------------|
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 0            |
|  | dB(A) | 41           |
|  | kWh/a | 3439         |
|  | kWh/a | 2988         |
|  | kWh/a | 1954         |
|  | m³/h  | 6            |