




ENERG

енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 Trend



50
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 Trend
		205078
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-83,46
	kWh/(m²a)	-44,09
	kWh/(m²a)	-18,91
		A+
		A+
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	89,3
	m³/h	450
	W	125
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,65
	%	1,02
	%	0,78
	kWh/a	672
	kWh/a	135
	kWh/a	90
	kWh/a	9153
	kWh/a	4679
	kWh/a	2116




ENERG

енергия · ενεργεια

Y IJA
IE IA

STIEBEL ELTRON

VRC-W 450 Trend



50
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		VRC-W 450 Trend
		205078
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-80,53
	kWh/(m²a)	-41,81
	kWh/(m²a)	-17,00
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	89,3
	m³/h	450
	W	125
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,85
	%	1,02
	%	0,78
	kWh/a	736
	kWh/a	199
	kWh/a	154
	kWh/a	9020
	kWh/a	4611
	kWh/a	2085




ENERG

енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 Trend



50
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 Trend
		205078
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-78,91
	kWh/(m²a)	-40,51
	kWh/(m²a)	-15,89
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	89,3
	m³/h	450
	W	125
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,95
	%	1,02
	%	0,78
	kWh/a	774
	kWh/a	237
	kWh/a	192
	kWh/a	8953
	kWh/a	4577
	kWh/a	2069




ENERG

енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 Trend



50
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 Trend
		205078
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-78,05
	kWh/(m²a)	-39,82
	kWh/(m²a)	-15,29
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	89,3
	m³/h	450
	W	125
	dB(A)	50
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		1,00
	%	1,02
	%	0,78
	kWh/a	795
	kWh/a	258
	kWh/a	213
	kWh/a	8920
	kWh/a	4560
	kWh/a	2062