



ENERG

енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 E
Premium CN



49
dB



450 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		VRC-W 450 E Premium CN
		206746
Manufacturer		STIEBEL ELTRON
		A
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	78,0
	m³/h	450
	W	120
	dB(A)	49
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,65
	%	2,00
	%	2,50



ENERG
енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 E
Premium CN



49
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 E Premium CN
		206746
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-74,32
	kWh/(m²a)	-38,53
	kWh/(m²a)	-15,39
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	78,0
	m³/h	450
	W	120
	dB(A)	49
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,85
	%	2,00
	%	2,50
	kWh/a	745
	kWh/a	208
	kWh/a	163
	kWh/a	8421
	kWh/a	4305
	kWh/a	1947



ENERG
енергия · ενεργεια



STIEBEL ELTRON

VRC-W 450 E
Premium CN



49
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 E Premium CN
		206746
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-71,93
	kWh/(m²a)	-36,81
	kWh/(m²a)	-14,06
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	78,0
	m³/h	450
	W	120
	dB(A)	49
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		0,95
	%	2,00
	%	2,50
	kWh/a	785
	kWh/a	248
	kWh/a	203
	kWh/a	8284
	kWh/a	4235
	kWh/a	1915



ENERG Y IJA
енергия · ενεργεια IE IA

STIEBEL ELTRON

VRC-W 450 E
Premium CN



49
dB



450 m³/h



Технические характеристики изделия:

		VRC-W 450 E Premium CN
		206746
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-70,70
	kWh/(m²a)	-35,91
	kWh/(m²a)	-13,35
		A+
		A
		E
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	78,0
	m³/h	450
	W	120
	dB(A)	49
	m³/s	0,087
	Pa	50
	W/(m³/h)	0,18
		1,00
	%	2,00
	%	2,50
	kWh/a	807
	kWh/a	270
	kWh/a	225
	kWh/a	8216
	kWh/a	4200
	kWh/a	1899