




ENERG

енергия · ενεργεια

Y IJA
IE IA

STIEBEL ELTRON

LWZ 370 plus



48
dB



400 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		LWZ 370 plus
		232033
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-80,79
	kWh/(m²a)	-42,27
	kWh/(m²a)	-17,58
		A+
		A+
		E
		Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	85,0
	m³/h	400
	W	142
	dB(A)	48
	m³/s	0,078
	Pa	50
	W/(m³/h)	0,24
		0,65
	%	14,30
	%	14,30
	kWh/a	777
	kWh/a	240
	kWh/a	195
	kWh/a	8979
	kWh/a	4590
	kWh/a	2075



ENERG

енергия · ενεργεια



STIEBEL ELTRON

LWZ 370 plus



48
dB



400 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		LWZ 370 plus
		232033
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-76,67
	kWh/(m²a)	-39,06
	kWh/(m²a)	-14,89
		A+
		A
		E
		Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	85,0
	m³/h	400
	W	142
	dB(A)	48
	m³/s	0,078
	Pa	50
	W/(m³/h)	0,24
		0,85
	%	14,30
	%	14,30
	kWh/a	838
	kWh/a	301
	kWh/a	256
	kWh/a	8792
	kWh/a	4494
	kWh/a	2032




ENERG

енергия · ενεργεια

Y IJA
IE IA

STIEBEL ELTRON

LWZ 370 plus



48
dB



400 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		LWZ 370 plus
		232033
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-74,38
	kWh/(m²a)	-37,23
	kWh/(m²a)	-13,32
		A+
		A
		E
		Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	85,0
	m³/h	400
	W	142
	dB(A)	48
	m³/s	0,078
	Pa	50
	W/(m³/h)	0,24
		0,95
	%	14,30
	%	14,30
	kWh/a	868
	kWh/a	331
	kWh/a	286
	kWh/a	8699
	kWh/a	4494
	kWh/a	2011



ENERG

енергия · ενεργεια



STIEBEL ELTRON

LWZ 370 plus



48
dB



400 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		LWZ 370 plus
		232033
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-73,18
	kWh/(m²a)	-36,26
	kWh/(m²a)	-12,48
		A+
		A
		E
		Zwei Richtungen
		Drehzahl geregelt
		Rekuperativ
	%	85,0
	m³/h	400
	W	142
	dB(A)	48
	m³/s	0,078
	Pa	50
	W/(m³/h)	0,24
		1,00
	%	14,30
	%	14,30
	kWh/a	883
	kWh/a	346
	kWh/a	301
	kWh/a	8652
	kWh/a	4423
	kWh/a	2000