



**ENERG**  
енергия · ενεργεια



**STIEBEL ELTRON**

WPL-S 48 HK dB 400  
Premium



55 °C

35 °C



**A<sup>++</sup>**

**A<sup>++</sup>**



**63** dB



**64** dB

■ 51

■ 56

■ 52

kW

■ 49

■ 54

■ 50

kW



2019

811/2013

|              |       | WPL-S 48 HK dB 400 Premium |
|--------------|-------|----------------------------|
|              |       | 205251                     |
| Manufacturer |       | STIEBEL ELTRON             |
|              |       | A++                        |
|              |       | A++                        |
|              | kW    | 56                         |
|              | kW    | 54                         |
|              | %     | 137                        |
|              | %     | 170                        |
|              | kWh/a | 32905                      |
|              | kWh/a | 25952                      |
|              | dB(A) | 63                         |
|              |       | -                          |
|              | kW    | 51                         |
|              | kW    | 49                         |
|              | kW    | 52                         |
|              | kW    | 50                         |
|              | %     | 133                        |
|              | %     | 158                        |
|              | %     | 165                        |
|              | %     | 198                        |
|              | kWh/a | 37039                      |
|              | kWh/a | 30019                      |
|              | kWh/a | 16507                      |
|              | kWh/a | 13339                      |
|              | dB(A) | 64                         |



# ENERG

енергия · ενεργεια



WPL-S 48 HK dB 400 Premium

## STIEBEL ELTRON



A<sup>++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Ürün veri sayfası:

|              |   | WPL-S 48 HK dB 400 Premium |
|--------------|---|----------------------------|
|              |   | 205251                     |
| Manufacturer |   | STIEBEL ELTRON             |
|              | % | 170                        |
|              |   | VII                        |
|              | % | 4                          |
|              | % | 140                        |
|              | % | 136                        |
|              | % | 169                        |
|              | % | 4                          |
|              | % | 28                         |
|              |   | A++                        |
|              |   | A++                        |

Ürün veri sayfası:

|              |    | WPL-S 48 HK dB 400 Premium |
|--------------|----|----------------------------|
|              |    | 205251                     |
| Manufacturer |    | STIEBEL ELTRON             |
|              |    | Außenluft                  |
|              |    | -                          |
|              |    | -                          |
|              |    | -                          |
|              | kW | 51                         |
|              | kW | 56                         |
|              | kW | 52                         |
|              | kW | 49,5                       |
|              | kW | 49,2                       |
|              | kW | 50,2                       |
|              | kW | 51,3                       |
|              | kW | 51,9                       |
|              | kW | 68,0                       |
|              | kW | 67,2                       |
|              | kW | 66,7                       |
|              | kW | 73,8                       |
|              | kW | 76,5                       |
|              | kW | 73,1                       |
|              | kW | 41,5                       |
|              | kW | 49,2                       |
|              | kW | 51,9                       |
|              | kW | 32,2                       |
|              | kW | 46,8                       |
|              | kW | 51,9                       |
|              | °C | -15                        |
|              | °C | -7                         |
|              | °C | 2                          |
|              | %  | 133                        |
|              | %  | 137                        |
|              | %  | 165                        |
|              |    | 3,32                       |
|              |    | 2,71                       |
|              |    | 3,65                       |
|              |    | 3,37                       |
|              |    | 2,76                       |
|              |    | 4,86                       |
|              |    | 4,40                       |
|              |    | 4,14                       |
|              |    | 5,27                       |
|              |    | 530,00                     |
|              |    | 5,04                       |
|              |    | 2,48                       |
|              |    | 2,71                       |
|              |    | 2,76                       |
|              |    | 1,80                       |
|              |    | 2,44                       |
|              |    | 2,76                       |
|              | °C | -22                        |
|              | °C | -10                        |
|              | °C | 2                          |
|              | °C | 65                         |
|              | °C | 65                         |
|              | °C | 65                         |
|              | W  | 113                        |
|              | W  | 114                        |

|  |       |            |
|--|-------|------------|
|  | W     | 113        |
|  | W     | 0          |
|  | kW    | 0,0        |
|  |       | elektrisch |
|  |       | fest       |
|  | dB(A) | 64         |
|  | dB(A) | 63         |
|  | kWh/a | 37039      |
|  | kWh/a | 32905      |
|  | kWh/a | 16507      |
|  | m³/h  | 4          |