



**ENERG**  
енергия · ενεργεια



WPL-A 13.2 Plus HK 400

**STIEBEL ELTRON**



55 °C

35 °C



**A+++**

**A+++**



**0** dB



**51** dB

■ 14

■ 15

■ 8

kW

■ 14

■ 15

■ 8

kW



2019

811/2013

Ürün veri sayfası:

|              |       | WPL-A 13.2 Plus HK 400 |
|--------------|-------|------------------------|
|              |       | 206127                 |
| Manufacturer |       | STIEBEL ELTRON         |
|              |       | A+++                   |
|              |       | A+++                   |
|              | kW    | 15                     |
|              | kW    | 15                     |
|              | %     | 157                    |
|              | %     | 193                    |
|              | kWh/a | 7653                   |
|              | kWh/a | 6159                   |
|              | dB(A) | 0                      |
|              | kW    | 14                     |
|              | kW    | 14                     |
|              | kW    | 8                      |
|              | kW    | 8                      |
|              | %     | 146                    |
|              | %     | 173                    |
|              | %     | 183                    |
|              | %     | 255                    |
|              | kWh/a | 9285                   |
|              | kWh/a | 8075                   |
|              | kWh/a | 2337                   |
|              | kWh/a | 1676                   |
|              | dB(A) | 51                     |



# ENERG

енергия · ενεργεια



WPL-A 13.2 Plus HK 400

## STIEBEL ELTRON



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

A<sup>+++</sup>

+



+



+



+



Ürün veri sayfası:

|              |   | WPL-A 13.2 Plus HK 400 |
|--------------|---|------------------------|
|              |   | 206127                 |
| Manufacturer |   | STIEBEL ELTRON         |
|              | % | 193                    |
|              |   | VI                     |
|              | % | 4                      |
|              | % | 161                    |
|              | % | 143                    |
|              | % | 184                    |
|              | % | 18                     |
|              | % | 23                     |
|              |   | A+++                   |
|              |   | A+++                   |

Ürün veri sayfası:

|              |    | WPL-A 13.2 Plus HK 400 |
|--------------|----|------------------------|
|              |    | 206127                 |
| Manufacturer |    | STIEBEL ELTRON         |
|              |    | Luft                   |
|              |    | -                      |
|              |    | -                      |
|              |    | -                      |
|              | kW | 14                     |
|              | kW | 15                     |
|              | kW | 8                      |
|              | kW | 8,6                    |
|              | kW | 13,2                   |
|              | kW | 5,3                    |
|              | kW | 8,0                    |
|              | kW | 8,1                    |
|              | kW | 5,1                    |
|              | kW | 5,1                    |
|              | kW | 5,3                    |
|              | kW | 5,9                    |
|              | kW | 5,9                    |
|              | kW | 5,8                    |
|              | kW | 11,5                   |
|              | kW | 13,2                   |
|              | kW | 8,1                    |
|              | kW | 9,7                    |
|              | kW | 12,4                   |
|              | kW | 8,1                    |
|              | °C | -15                    |
|              | °C | -7                     |
|              | °C | 2                      |
|              | %  | 146                    |
|              | %  | 157                    |
|              | %  | 183                    |
|              |    | 3,17                   |
|              |    | 2,60                   |
|              |    | 4,38                   |
|              |    | 3,81                   |
|              |    | 2,89                   |
|              |    | 5,60                   |
|              |    | 5,37                   |
|              |    | 4,12                   |
|              |    | 6,65                   |
|              |    | 6,56                   |
|              |    | 5,79                   |
|              |    | 2,40                   |
|              |    | 2,60                   |
|              |    | 2,89                   |
|              |    | 1,99                   |
|              |    | 2,38                   |
|              |    | 2,89                   |
|              | °C | -22                    |
|              | °C | -10                    |
|              | °C | 2                      |
|              | °C | 75                     |
|              | °C | 75                     |
|              | °C | 75                     |
|              | W  | 13                     |
|              | W  | 18                     |

|  |       |              |
|--|-------|--------------|
|  | W     | 13           |
|  | W     | 0            |
|  | kW    | 4,4          |
|  | kW    | 2,4          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 51           |
|  | dB(A) | 0            |
|  | kWh/a | 9285         |
|  | kWh/a | 7653         |
|  | kWh/a | 2337         |