



**ENERG**  
енергия · ενεργεια



WPL-A 13.2 W Plus HK 400

**STIEBEL ELTRON**



55 °C

35 °C



**A+++**

**A+++**



**0** dB



**51** dB

■ 14

■ 15

■ 8

kW

■ 14

■ 15

■ 8

kW



2019

811/2013

|              |       | WPL-A 13.2 W Plus HK 400 |
|--------------|-------|--------------------------|
|              |       | 208430                   |
| Manufacturer |       | STIEBEL ELTRON           |
|              |       | A+++                     |
|              |       | A+++                     |
|              | kW    | 15                       |
|              | kW    | 15                       |
|              | %     | 157                      |
|              | %     | 193                      |
|              | kWh/a | 7653                     |
|              | kWh/a | 6159                     |
|              | dB(A) | 0                        |
|              |       | -                        |
|              | kW    | 14                       |
|              | kW    | 14                       |
|              | kW    | 8                        |
|              | kW    | 8                        |
|              | %     | 146                      |
|              | %     | 173                      |
|              | %     | 183                      |
|              | %     | 255                      |
|              | kWh/a | 9285                     |
|              | kWh/a | 8075                     |
|              | kWh/a | 2337                     |
|              | kWh/a | 1676                     |
|              | dB(A) | 51                       |



# ENERG

енергия · ενεργεια



WPL-A 13.2 W Plus HK 400

## STIEBEL ELTRON



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Ürün veri sayfası:

|              |   | WPL-A 13.2 W Plus HK 400 |
|--------------|---|--------------------------|
|              |   | 208430                   |
| Manufacturer |   | STIEBEL ELTRON           |
|              | % | 193                      |
|              |   | VI                       |
|              | % | 4                        |
|              | % | 161                      |
|              | % | 143                      |
|              | % | 184                      |
|              | % | 18                       |
|              | % | 23                       |
|              |   | A+++                     |
|              |   | A+++                     |

Ürün veri sayfası:

|              |    | WPL-A 13.2 W Plus HK 400 |
|--------------|----|--------------------------|
|              |    | 208430                   |
| Manufacturer |    | STIEBEL ELTRON           |
|              |    | Luft                     |
|              |    | -                        |
|              |    | -                        |
|              |    | -                        |
|              | kW | 14                       |
|              | kW | 15                       |
|              | kW | 8                        |
|              | kW | 8,6                      |
|              | kW | 13,2                     |
|              | kW | 5,3                      |
|              | kW | 8,0                      |
|              | kW | 8,1                      |
|              | kW | 5,1                      |
|              | kW | 5,1                      |
|              | kW | 5,3                      |
|              | kW | 5,9                      |
|              | kW | 5,9                      |
|              | kW | 5,8                      |
|              | kW | 11,5                     |
|              | kW | 13,2                     |
|              | kW | 8,1                      |
|              | kW | 9,7                      |
|              | kW | 12,4                     |
|              | kW | 8,1                      |
|              | °C | -15                      |
|              | °C | -7                       |
|              | °C | 2                        |
|              | %  | 146                      |
|              | %  | 157                      |
|              | %  | 183                      |
|              |    | 3,17                     |
|              |    | 2,60                     |
|              |    | 4,38                     |
|              |    | 3,81                     |
|              |    | 2,89                     |
|              |    | 5,60                     |
|              |    | 5,37                     |
|              |    | 4,12                     |
|              |    | 6,65                     |
|              |    | 6,56                     |
|              |    | 5,79                     |
|              |    | 2,40                     |
|              |    | 2,60                     |
|              |    | 2,89                     |
|              |    | 1,99                     |
|              |    | 2,38                     |
|              |    | 2,89                     |
|              | °C | -22                      |
|              | °C | -10                      |
|              | °C | 2                        |
|              | °C | 75                       |
|              | °C | 75                       |
|              | °C | 75                       |
|              | W  | 13                       |
|              | W  | 18                       |

|  |       |              |
|--|-------|--------------|
|  | W     | 13           |
|  | W     | 0            |
|  | kW    | 4,4          |
|  | kW    | 2,4          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 51           |
|  | dB(A) | 0            |
|  | kWh/a | 9285         |
|  | kWh/a | 7653         |
|  | kWh/a | 2337         |