Product datasheet: Combi heater to regulation (EU) no. 811/2013 / (S.I. 2019 No. 539 / Schedule 2)

		WPE-I 05 HW 400 Plus
		205834
Manufacturer		STIEBEL ELTRON
Load profile		XL
Energy efficiency class for central heating in moderate climates for medium temperature applications		A++
Energy efficiency class for central heating in moderate climates for low temperature applications		A+++
Energy efficiency category for DHW heating under moderate climatic conditions		A
Rated heating output in moderate climates for average temperature applications (Prated)	kW	6
Rated heating output in moderate climates for low temperature applications (Prated)	kW	6
Annual energy consumption in moderate climates for average temperature applications (QHE)	kWh/a	3672
Annual energy consumption in moderate climates for low temperature applications (QHE)	kWh/a	2630
Seasonal room heating efficiency in moderate climates for average temperature applications (ηs)	%	135
Seasonal room heating efficiency in moderate climates for low temperature applications (ηs)	%	181
Energy efficiency for DHW heating (Π wh) under moderate climatic conditions	%	122
Sound power level internal	dB(A)	42
Rated heating output in colder climates for average temperature applications (Prated)	kW	6
Rated heating output in colder climates for low temperature applications (Prated)	kW	6
Rated heating output in warmer climates for average temperature applications (Prated)	kW	6
Rated heating output in warmer climates for low temperature applications (Prated)	kW	7
Annual energy consumption in colder climates for average temperature applications (QHE)	kWh/a	4104
Annual energy consumption in colder climates for low temperature applications (QHE)	kWh/a	3170
Annual energy consumption in warmer climates for average temperature applications (QHE)	kWh/a	2237
Annual energy consumption in warmer climates for low temperature applications (QHE)	kWh/a	1825
Seasonal room heating efficiency in colder climates for average temperature applications (Πs)	%	138
Seasonal room heating efficiency in colder climates for low temperature applications (Π s)	%	187
Seasonal room heating efficiency in warmer climates for average temperature applications (Πs)	%	135
Seasonal room heating efficiency in warmer climates for low temperature applications ($\ensuremath{\mbox{\sc Ns}}$)	%	183