## Required details about room heater and combi heater with heat pump to regulation (EU) no. 813/2013 & 811/2013

		SolvisVaero 8 kW
		231554
Manufacturer		Tatramat
Heat source		Outside air
With booster heater		X
Combi boiler with heat pump		
Rated heating output in colder climates for average temperature applications (Prated)	kW	10
Rated heating output in moderate climates for average temperature applications (Prated)	kW	9
Rated heating output in warmer climates for average temperature applications (Prated)	kW	8
Tj = -7 °C heating output, partial load range under moderate climatic conditions (Pdh)	kW	6.9
Tj = 2  °C heating output, partial load range under moderate climatic conditions (Pdh)	kW	7.8
Tj = 7 °C heating output, partial load range under moderate climatic conditions (Pdh)	kW	8.7
Tj = 12 °C heating output, partial load range under moderate climatic conditions (Pdh)	kW	9.2
Tj = dual mode temperature under moderate climatic conditions (Pdh)	kW	7.1
Tj = operating temperature limit under moderate climatic conditions (Pdh)	kW	6.7
For air/water heat pumps:Tj = -15 °C (if TOL< -20 °C) (Pdh)	kW	6.4
Dual mode temperature in moderate climates (Tbiv)	°C	-5
Seasonal room heating efficiency in colder climates for average temperature applications ( $\Pi$ s)	%	111
Seasonal room heating efficiency in moderate climates for average temperature applications (Πs)	%	117
Seasonal room heating efficiency in warmer climates for average temperature applications (Πs)	%	127
Tj = -7 °C COP, partial load range under moderate climatic conditions (COPd)		2.38
Tj = 2 °C COP, partial load range under moderate climatic conditions (COPd)		2.99
$T_j = 7 \text{ °C COP}$ , partial load range under moderate climatic conditions (COPd)		3.79
Tj = 12 °C COP, partial load range under moderate climatic conditions (COPd)		4,64
Tj = dual mode temperature under moderate climatic conditions (COPd)		2.52
Tj = operating temperature limit under moderate climatic conditions (COPd)		2.21
For air/water heat pumps:Tj= -15°C (if TOL< -20 °C) (COPd)		1.98
Heating water operating temperature limit (WTOL)	°C	0
Power consumption, OFF state (Poff)	W	7
Power consumption, thermostat OFF state (PTO)	W	7
Standby power consumption (PSB)	W	7
Power consumption, operating state, with crankcase heating (PCK)	W	62
Booster heater heating output in moderate climate (Psup)	kW	2.1
Type of energy supply, booster heater		electric
Power control		Fixed
Annual energy consumption in colder climates for average temperature applications (QHE)	kWh/a	8316
Annual energy consumption in moderate climates for average temperature applications (QHE)	kWh/a	6084
Annual energy consumption in warmer climates for average temperature applications (QHE)	kWh/a	3176